

L Number	Hits	Search Text	DB	Time stamp
10	561	(display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:37
11	124	((display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3) and reference adj (potential or voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:38
12	10	((display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3) and reference adj (potential or voltage)) and first adj switch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:38
13	7	((display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3) and reference adj (potential or voltage)) and first adj switch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:38
16	1	(((((display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3) and reference adj (potential or voltage)) and first adj switch\$4) and second adj switch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:39
15	3	(((((display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3) and reference adj (potential or voltage)) and first adj switch\$4) and second adj switch\$4) and amplifier) and voltage adj generat\$4) and common adj potential	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:39
14	7	(((((display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3) and reference adj (potential or voltage)) and first adj switch\$4) and second adj switch\$4) and amplifier) and voltage adj generat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:42
17	154	display adj driver with test\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:42
18	75	(display adj driver with test\$4) and (leads or electrodes or wires)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:43
22	1	(((((display adj driver with test\$4) and (leads or electrodes or wires)) and multiplex\$4) and amplifier) and reference adj (potential or voltage)) and switch\$4 near3 (leads or wires or electrodes)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:44
21	6	((((display adj driver with test\$4) and (leads or electrodes or wires)) and multiplex\$4) and amplifier) and reference adj (potential or voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:48
25	1564098	display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:48
26	1774	display and (driver adj circuit or driver) near3 test\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:49

27	743	display and (driver adj circuit or driver) near test\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:50
28	2	(display and (driver adj circuit or driver) near test\$3) and (display adj driver) near test\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:51
29	0	((display and (driver adj circuit or driver) near test\$3) and (display adj driver) near test\$4) and multiplex\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:51
19	24	((display adj driver with test\$4) and (leads or electrodes or wires)) and multiplex\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:52
20	11	((display adj driver with test\$4) and (leads or electrodes or wires)) and multiplex\$4) and amplifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:53
34	0	20020093992.URPN.	USPAT	2004/03/16 18:54
37	4	5877736.URPN.	USPAT	2004/03/16 21:14
38	5	(US-5877736-\$ or US-4194113-\$ or US-4028536-\$ or US-4885632-\$ or US-4453128-\$).did.	USPAT	2004/03/16 21:16
43	5	((US-5877736-\$ or US-4194113-\$ or US-4028536-\$ or US-4885632-\$ or US-4453128-\$).did.) and test\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:16
53	21	testing near driver adj circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:25
54	7	(testing near driver adj circuit) and (leads or wires)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:25
55	1	((testing near driver adj circuit) and (leads or wires)) and multiplexer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:26
56	2	(testing near driver adj circuit) and multiplexer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:28
57	383	testing adj display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:28
58	26	(testing adj display) and multiplexer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:29
60	10	((testing adj display) and multiplexer) and amplifier) and leads	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:29

62	0	((((testing adj display) and multiplexer) and amplifier) and leads) and switch) and reference adj potential	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:30
63	1	((((testing adj display) and multiplexer) and amplifier) and leads) and switch) and test adj potential	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:30
61	9	((((testing adj display) and multiplexer) and amplifier) and leads) and switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:30
59	16	((testing adj display) and multiplexer) and amplifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:31
-	10073	display adj driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 10:26
-	70	(display adj driver) and test\$3 near (driv\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 10:27
-	34	((display adj driver) and test\$3 near (driv\$3)) and leads	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 10:27
-	1	((((display adj driver) and test\$3 near (driv\$3)) and leads) and multiplex\$4) and switch\$3) and reference adj potential	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 14:35
-	1	((((display adj driver) and test\$3 near (driv\$3)) and leads) and multiplex\$4) and switch\$3) and first adj switch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 10:29
-	15	((((display adj driver) and test\$3 near (driv\$3)) and leads) and multiplex\$4) and switch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 18:36
-	15	((display adj driver) and test\$3 near (driv\$3)) and leads) and multiplex\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 14:34
-	32	((display near driv\$3) and test\$3 near (driv\$3)) and leads) and multiplex\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 14:34
-	32	((((display near driv\$3) and test\$3 near (driv\$3)) and leads) and multiplex\$4) and switch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 14:35
-	10	((((display near driv\$3) and test\$3 near (driv\$3)) and leads) and multiplex\$4) and switch\$3) and reference adj (potential or voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:23